

# BEZILLO<sup>®</sup>

SUPERIOR QUALITY PRODUCTS.

## PROSHIELD ENRICH 801



# **BEZILLO PROSHIELD ENRICH 801**

## **PRODUCT DESCRIPTION**

Product designed as a strong and long-lasting brightener for stone materials with brushed, sandblasted, bush-hammered, flamed, split, tumbled, disc-cut and polished finishes.

PROSHIELD ENRICH penetrates into the material, protecting it from staining substances in general, trampling dirt, smog and atmospheric dirt and at the same time totalizes the surface of the stone without forming surface films.

The product is particularly suitable for antiqued marbles and stones with strong colors, PROSHIELD ENRICH is suitable for internal and external surfaces.

The product is resistant to routine washing carried out with appropriate detergents, used manually or with floor cleaning machines.

## **APPLICATION**

All stone surfaces to be treated must be completely clean and dry. Where no previous treatment experience exists a

small discreet area should be tested to verify the suitability of the product to the stone.

Where necessary ensure all surrounding areas and surfaces sensitive to solvents are protected against any spillage.

Apply one coat of PROSHIELD ENRICH evenly with a clean brush, a roller or by cloth in circular movements. On very absorbent surfaces apply a second coat allowing sufficient time for your first application to penetrate into the stone and dry. If in doubt test discreet area to ensure second application is necessary.







In case of over treatment or any air bubbles remove by wiping excess product using a clean cotton cloth or absorbent paper. On large floor areas excess residue of product can be buffed off by machine using a white nylon type pad.

Temperature of surface to be treated should not be below 10°C. Avoid direct sunlight especially for external works.

## **COVERAGE**

Coverage varies from surface to surface, contingent upon factors such as the surface condition, type and the number of coats being applied. Generally, a single coat can cover an area ranging from 300 to 400 square feet, while a double coat can cover approximately 200 to 250 square feet

## **ADVANTAGES**

-  Superior quality solvent based penetrating sealer & enhancer
-  Enriches the color of textured, honed & polished stone surfaces.
-  Enriches the stones natural color with matte finish
-  Highlights the natural characters of the stone
-  Ready to use
-  Used by Professionals

# **BEZILLO PROSHIELD ENRICH 801**

## **TECHNICAL DATA SHEET**

### **IMPORTANT SAFETY NOTE**

When using any type of solvent based product suitable ventilation should be provided during and after application. Use appropriate rubber gloves where necessary and do not smoke, eat or drink while using product. Keep product well closed and out of the reach from children. Additional information available on the MSDS SHEET (Material Safety Data Sheet).

### **RECOMMENDED USE**

Suitable for all honed, flammmed texture granite, marble, natural and artificial engineered stones, terra cotta, quarry, cement pavers.

- Effective for interior and exterior use
- Effective for Flooring –Work surfaces (Kitchen, Bathrooms) Showers and areas in constant contact with water.

### **WARRANTY**

The technical advice whether verbal or in writing or by way of trials are given in good faith but without warranty. The application use or processing of the products are beyond our control and should be tested for their suitability and therefore your own responsibility. In no event shall BETON STONE SOLUTIONS be liable to the customer or anyone else for incidental or consequential damages, however occasioned.

### **ALWAYS TEST FIRST**

### **DISCLAIMER**

This information is true and accurate to the best of our knowledge and belief, but since the circumstances of use and any labour required are out of our control, the end user must verify beforehand that the product is appropriate for his particular application. No responsibility can be accepted, and no warranty can be provided by our Representatives, Agents, or Distributors. The end user should make sure he has read our most recent material and that the products are sold in accordance with our Standard Conditions of Sale.



EXPERIENCE THE DIFFERENCE!!

**BETON STONE SOLUTIONS INDIA PVT LTD**

+91 99301 28291 / +91 83286 36546

[info@betonstonesolutions.com](mailto:info@betonstonesolutions.com) | [www.betonstonesolutions.com](http://www.betonstonesolutions.com)

**HEAD OFFICE - INDIA**

B/2, Amrat Niwas, 15th  
Sarojini Road, Ville Parle  
(W), Mumbai - 400056, India.

**REGIONAL OFFICE - INDIA**

Plot No.18, Saibabanagar  
Colony, Tellapur, R.C. Puram,  
Sangareddy, Hyderabad, India.

**ITALY OFFICE**

Via Monte Cengio,  
11/0 36073, Cornedo  
Vicentino (VI) Italy.

**DUBAI OFFICE**

P.O. Box  
239697,  
Dubai UAE.