

BEZILLO®

SUPERIOR QUALITY PRODUCTS.

BEZILLO GLUETIX - CREAM SOLID

Knife grade solid glue for natural stones, quartz & ceramic.



BEZILLO GLUETIX - CREAM SOLID

DESCRIPTION





Gluetix for marble, granite, onyx and stone. Once hardened, the product is dry and well polishable. It has good storage stability.

Can be easily coloured by addition of paste pigment for polyesters or metal oxides. Different colours available: straw yellow, white, black, grey etc.

SAFETY RULES

Information provided in this technical data sheet is based upon our experience. We assure the perfect quality of products. However, being the utilization out of our control, we don't assume responsibility on the result obtained. It is obligation of the customer to verify that the use of the product is done according to laws, legislation, patents of the customer's country.

ADVANTAGES

-  Superior quality knife grade polyester glue
-  Excellent adhesion & reactivity in all temperatures
-  Low shrinkage
-  Used by professionals

DISCLAIMER

This information is true and accurate to the best of our knowledge and belief, but since the circumstances of use and any labour required are out of our control, the end user must verify beforehand that the product is appropriate for his particular application. No responsibility can be accepted, and no warranty can be provided by our Representatives, Agents, or Distributors. The end user should make sure he has read our most recent material and that the products are sold in accordance with our Standard Conditions of Sale.

INSTRUCTIONS OF USE

- Before use the glue check that the surface has to be dry, clean and dust free.
- Use a spatula for take the necessary quantity of glue from the can and add 1-3% of the hardener in paste
- Pay attention to not add the hardener in paste inside the can glue.
- Mix well and use the product. Do not return the unused glue in the can
- For colour the glue use Bezillo Colorant Paste, add the colour to the glue, max 3%, before and then add the hardener in paste.

SHELF LIFE

The products will last at least 12 months in the normal condition between 18-25°C, kept away from source of heat, humidity and sun light.



BEZILLO GLUETIX - CREAM SOLID

TECHNICAL DATA

	Solid	Semisolid	Liquid
Specif weight	1,78 g/cm ³ ±0,05	1,75 g/cm ³ ±0,05	1,75 g/cm ³ ±0,05
V.O.C Directive 2010/75/EC	12,68% - 228,24 gr/litre	12,68% - 228,24 gr/litre	12,68% - 228,24 gr/litre
Viscosity cps 25°	Tixotropic paste	200.000 - 300.000	4000-8000
Consistency/Appereance	Vertical colored paste	Cream colored paste	Liquid colored paste
Application	Reparing/Bonding	Filling big holes	Filling holes and cracks
Hardener	1-3%	1-3%	1-3%
Dry to touch at 25°	15 min	15 min	15 min
Gel time at 25°	3-4 min	3-4 min	3-4 min
Complete curing at 25°	20 min	20 min	20 min
Polishable at 25°	30 min	30 min	30 min



EXPERIENCE THE DIFFERENCE!!

BETON STONE SOLUTIONS INDIA PVT LTD

+91 99301 28291 / +91 83286 36546

info@betonstonesolutions.com | www.betonstonesolutions.com

HEAD OFFICE - INDIA

B/2, Amrat Niwas, 15th
Sarojini Road, Ville Parle
(W), Mumbai - 400056, India.

REGIONAL OFFICE - INDIA

Plot No.18, Saibabanagar
Colony, Tellapur, R.C. Puram,
Sangareddy, Hyderabad, India.

ITALY OFFICE

Via Monte Cengio,
11/0 36073, Cornedo
Vicentino (VI) Italy.

DUBAI OFFICE

P.O. Box
239697,
Dubai UAE.